



Double Nozzle CNG Fuel Dispenser 20MPa Pressure Dispenser Gas

Our Product Introduction

For more products please visit us on refueling-equipment.com

Basic Information

- Place of Origin: China
- Brand Name: Virette
- Delivery Time: 20 - 30 days



Product Specification

- Display: LCD
- Nozzle: Single Or Dual
- Unit Price Range: 0.01-99.99
- Humidity Range: ≤95%
- Power Supply: AC 220V/50Hz
- Accuracy: ±0.5%
- Working Pressure: 20MPa
- Temperature Range: -25 To +55
- Highlight: **cng fuel dispenser 20mpa,
double nozzle cng fuel dispenser,
20mpa dispenser gas**

Product Description

LCD Display CNG Fuel Dispenser 20MPa Pressure for Your Requirements

Product Description:

With its robust construction and advanced features, the CD-100 CNG Gas Dispenser is capable of delivering fuel at a flow rate of up to 50 liters per minute. Its state-of-the-art electronic control system ensures accurate and precise fueling, while its user-friendly interface makes it easy to operate and maintain.

The CD-100 CNG Gas Dispenser is equipped with a single or dual nozzle, depending on your specific needs. It also features a communication interface that supports both RS485 and RS232 protocols, allowing for seamless integration with other systems and devices.

Powered by AC 220V/50Hz, the CD-100 CNG Gas Dispenser is designed to deliver reliable performance under a wide range of operating conditions. Its compact and modular design makes it easy to install and customize, while its high-quality components ensure long-lasting durability and low maintenance costs.

Whether you are looking to expand your gas station's offerings, or need a reliable fueling solution for your fleet of CNG vehicles, the CD-100 Compressed Natural Gas Dispenser is the perfect choice. With its advanced features, robust construction, and competitive pricing, it offers exceptional value for money and a low total cost of ownership.

So if you want to take advantage of the many benefits of CNG fueling, from lower operating costs to reduced emissions, be sure to invest in the CD-100 CNG Gas Dispenser today!

Features:

Product Name: CNG Gas Dispenser

Display: LCD

Total Price Range: 0.01-999999.99

Temperature Range: -25 To +55

Power Supply: AC 220V/50Hz

Model: CD-100

This Compressed Natural Gas Dispenser, also known as CNG Fueling Equipment, is ideal for those in need of a reliable and efficient fueling solution. With an LCD display, a temperature range of -25 to +55, and a power supply of AC 220V/50Hz, the CNG Gas Dispenser Model CD-100 offers a total price range of 0.01-999999.99, ensuring that your fueling needs are met within your budget.

Technical Parameters:

Model:	CD-100
Hose Length:	4m
Humidity Range:	≤95%
Temperature Range:	-25 To +55
Accuracy:	±0.5%
Total Price Range:	0.01-999999.99
Working Pressure:	20MPa
Communication Interface:	RS485/RS232
Flow Rate:	15-25L/min
Display:	LCD

Applications:

Whether you are setting up a CNG Filling Station Dispenser for personal or commercial use, the Virette CNG Gas Dispenser is an excellent investment. It comes with a single or dual nozzle depending on your needs. The dispenser's accuracy is ±0.5%, ensuring that you get the exact amount of gas you pay for.

The Virette CNG Gas Dispenser has a flow rate of 15-25L/min, making it a reliable and efficient choice. It is suitable for a wide range of applications, including refueling cars, buses, and trucks. With a total price range of 0.01-999999.99, this product is affordable and accessible to anyone who needs it.

Whether you are a business owner looking to set up a CNG Filling Station Dispenser for your fleet or a private individual looking for a more sustainable fuel option, the Virette CNG Gas Dispenser is an excellent choice. Its versatile design and reliable performance make it a valuable addition to any Natural Gas Dispensing System.

Customization:

Customize your Virette Compressed Natural Gas Fuel Dispenser to meet your specific needs with our product customization services. Our CNG Fuel Dispenser, made in China, comes with a delivery time of 20-30 days and a total price range of 0.01-999999.99. The CD-100 model has a power supply of AC 220V/50Hz and a flow rate of 15-25L/min.

Choose the communication interface that works best for you with options for RS485/RS232. Our Natural Gas Dispensing System can be tailored to fit your business needs, making it the perfect choice for gas stations and fleets.

Packing and Shipping:

Product Packaging:

The CNG Gas Dispenser will be packaged in a sturdy cardboard box.

The product will be wrapped in bubble wrap to prevent any damage during shipping.

The box will also contain an instruction manual and any necessary installation hardware.

Shipping:

The CNG Gas Dispenser will be shipped via a reputable courier service.

The estimated delivery time is 5-7 business days.

The customer will receive a tracking number to monitor the status of their shipment.

The product will be insured during shipping to cover any damages or losses.



Virette Technology Co., Ltd.



+8615651807973



ryan.s@youngtioneotech.com



refueling-equipment.com

Shizishu Industrial Concentration Zone, GuxiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China