



20MPa Gas CNG Pump With LCD Display Portable Gas Dispenser

Our Product Introduction

Basic Information

- Place of Origin: China
- Brand Name: Virette
- Delivery Time: 20 - 30 days



Product Specification

- Hose Length: 4m
- Accuracy: $\pm 0.5\%$
- Display: LCD
- Unit Price Range: 0.01-99.99
- Humidity Range: $\leq 95\%$
- Working Pressure: 20MPa
- Total Price Range: 0.01-999999.99
- Flow Rate: 15-25L/min
- Highlight: 20mpa gas cng pump,
lcd display portable gas dispenser,
20mpa portable gas dispenser

For more products please visit us on refueling-equipment.com

Product Description

CNG Gas Dispenser with 20MPa Pressure 15-25L/min Flow Rate LCD Display and 4m Hose

Product Description:

The CNG Gas Dispenser is equipped with a communication interface that supports RS485/RS232 protocols. This feature makes it easy to integrate the dispenser with other devices in the filling station, such as the gas storage tanks and the control panel. The dispenser can be remotely monitored and controlled using a computer or a mobile device.

The CNG Gas Dispenser is designed to operate in a wide range of temperatures, from -25 to +55. This means that it can be used in different weather conditions, from cold winters to hot summers. The dispenser is also capable of operating in high humidity environments, with a maximum humidity range of $\leq 95\%$. This makes it suitable for use in coastal areas or other humid regions.

The CNG Gas Dispenser is designed to deliver a flow rate of 15-25L/min. This means that it can fill up a CNG tank quickly and efficiently. The dispenser is equipped with a high-precision flow meter that ensures accurate measurement of the gas volume. This feature is important for ensuring that the customer is charged correctly for the amount of gas they receive.

The CNG Gas Dispenser is available in a wide range of prices, with a total price range of 0.01-999999.99. The price of the dispenser depends on the specific features and options that are selected. Some of the features that can affect the price include the type of display, the type of nozzle, and the type of payment system.

In conclusion, the CNG Gas Dispenser is an important piece of equipment for any CNG filling station. It is designed to deliver compressed natural gas to vehicles in a safe, efficient, and accurate manner. The dispenser is equipped with a communication interface for easy integration with other devices, and it can operate in a wide range of temperatures and humidity levels. With a flow rate of 15-25L/min and a wide range of prices, the CNG Gas Dispenser is a versatile product that can meet the needs of different customers.

Features:

Product Name: CNG Gas Dispenser

Nozzle: Single Or Dual

Power Supply: AC 220V/50Hz

Model: CD-100

Unit Price Range: 0.01-99.99

Communication Interface: RS485/RS232

This product is a Compressed Gas Fuel Dispenser, also known as a CNG Fuel Dispenser or CNG Fill-Up Machine.

Technical Parameters:

Display	LCD
Temperature Range	-25 To +55
Communication Interface	RS485/RS232
Humidity Range	$\leq 95\%$
Working Pressure	20MPa
Unit Price Range	0.01-99.99
Power Supply	AC 220V/50Hz
Nozzle	Single Or Dual
Model	CD-100
Total Price Range	0.01-999999.99

Applications:

The accuracy of the Virette CNG Gas Dispenser is $\pm 0.5\%$, ensuring that customers get the right amount of fuel for their vehicles. The dispenser is powered by AC 220V/50Hz, which is a widely available power supply in many countries. The flow rate of the dispenser is between 15-25L/min, which makes it fast and efficient for refueling vehicles.

The Virette CNG Gas Dispenser is suitable for use in various occasions and scenarios such as CNG filling station dispenser, natural gas fuel pump, and CNG refueling machine. It can be used in public and private refueling stations, bus depots, and other places where vehicles are refueled with natural gas. The dispenser is also suitable for use in industrial settings where natural gas is used as a fuel source.

The Virette CNG Gas Dispenser is a reliable and efficient solution for refueling vehicles with natural gas. Its accuracy, speed, and versatility make it an ideal choice for different applications. Whether you are operating a public or private refueling station, bus depot, or industrial facility, the Virette CNG Gas Dispenser is the perfect choice for your refueling needs.

Customization:

Brand Name: Virette

Place of Origin: China

Delivery Time: 20 - 30 days

Total Price Range: 0.01-999999.99

Humidity Range: $\leq 95\%$

Hose Length: 4m

Power Supply: AC 220V/50Hz

Nozzle: Single Or Dual

With our customization services, you can tailor the Compressed Natural Gas Dispenser to fit your unique requirements. Whether you need a specific nozzle, hose length, or power supply, we can help. Contact us today to get started.

Packing and Shipping:

Product Packaging:

1 CNG Gas Dispenser

1 User Manual

Shipping:

Shipping method: Standard Shipping

Estimated delivery time: 5-7 business days

Shipping cost: \$50



Virette Technology Co., Ltd.



+8615651807973



ryan.s@youngtiontech.com



refueling-equipment.com

Shizishu Industrial Concentration Zone, GuxiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China