



## Unloading Gasoline Flow Meter ATEX Certified Fuel Transfer Flow Meter

Our Product Introduction

For more products please visit us on [refueling-equipment.com](http://refueling-equipment.com)

### Basic Information

- Place of Origin: China
- Brand Name: Virette
- Model Number: T-80
- Minimum Order Quantity: 10 pcs
- Price: 1680USD
- Delivery Time: 20 days



### Product Specification

- Repeatability:  $\pm 0.02\%$
- Medium: GASOLINE, DIESEL, KEROSENE, ETHANOL GASOLINE AND OTHER OIL PRODUCTS
- Certifications: ATEX, IECEx, FM
- Keyword: Fuel Unloading Flow Meter
- Accuracy:  $\pm 0.2\%$
- Size: DN80
- Color: Silver
- Lcd Screen: ENGLISH INTERFACE, 7 DIGITS DISPLAY
- Highlight: **unloading gasoline flow meter, gasoline flow meter atex, atex certified fuel transfer flow meter**



## Product Description

### ATEX Certified Flow Meter with English Interface and 7-Digit LCD Display

#### Product Description:

The Fuel Unloading Flow Meter has a Rate range of 8-80M<sup>3</sup> / H (130-1300L / Min), making it ideal for measuring the flow of fuel in bulk delivery operations. The high level of accuracy and repeatability of the Fuel Unloading Flow Meter ensures that precise measurements are obtained every time. The repeatability of the Fuel Unloading Flow Meter is  $\pm 0.02\%$ , providing consistent and reliable results. The Fuel Unloading Flow Meter can operate in a wide range of temperatures, with an Ambient Temperature range of -30 ~60 . This makes it suitable for use in a variety of environments, including extreme cold and hot conditions. The durable construction of the Fuel Unloading Flow Meter ensures that it can withstand the rigors of daily use and will provide accurate and reliable performance for years to come.

#### Features:

Product Name: Flow Meter  
Keyword: Fuel Discharge Flow Meter, Fuel Unloading Flow Meter  
Size: DN80  
Lcd Screen: ENGLISH INTERFACE, 7 DIGITS DISPLAY  
Accuracy:  $\pm 0.2\%$   
Protection Rating: IP65

#### Technical Parameters:

Product Name:	Fuel Unloading Flow Meter
Medium:	GASOLINE, DIESEL, KEROSENE, ETHANOL GASOLINE AND OTHER OIL PRODUCTS
Size:	DN80
Keyword:	Fuel Unloading Flow Meter, Gravity Fuel Unloading Flow Meter, Fuel Unloading Flow Meter
Lcd Screen:	ENGLISH INTERFACE, 7 DIGITS DISPLAY
Certifications:	ATEX, IECEx, FM
Color:	Silver
Rate:	8-80M <sup>3</sup> / H (130-1300L / Min)
Accuracy:	$\pm 0.2\%$
Repeatability:	$\pm 0.02\%$
Protection Rating:	IP65

#### Applications:

The T-80 Flow Meter is particularly useful in fuel unloading flow meter, fuel discharge flow meter, and fuel transfer applications. It can be used to measure the flow rate of fuel in tanks, pipelines, and other fuel systems. With a protection rating of IP65, the T-80 flow meter is designed to withstand harsh environments and is well-suited for outdoor use. Its repeatability of  $\pm 0.02\%$  ensures consistent performance over time, making it a reliable choice for fuel dispensing systems. The T-80 flow meter is available for purchase with a minimum order quantity of 10 pcs at a price of 1680 USD. Delivery time is approximately 20 days from the time of order. Its sleek silver color and durable construction make it an attractive and long-lasting addition to any fuel system.

#### Packing and Shipping:

Product Packaging:  
One Flow Meter unit  
User Manual  
Installation Guide  
Calibration Certificate  
Warranty Card  
Shipping Information:  
Ships within 2 business days  
Free shipping within the US  
International shipping available for an additional cost  
Shipped via UPS or FedEx  
Tracking information will be provided via email



**Virette Technology Co., Ltd.**



+8615651807973



ryan.s@youngtioneotech.com



refueling-equipment.com

Shizishu Industrial Concentration Zone, GuxiongStreet, Yuhuatai District, Nanjing City, Jiangsu Province, China