

# DN80 Fuel Unloading Flow Meter IP65 Protection Diesel Fuel Flow Meter

### **Basic Information**

- Place of Origin:
- Brand Name: Virette

China

T-80

- Model Number:
- Minimum Order 10 pcs Quantity:
- Price: 1680USD
- Delivery Time: 20 days



## **Product Specification**

• Size:	DN80
Protection Rating:	IP65
Certifications:	ATEX, IECEx, FM
Accuracy:	±0.2%
Keyword:	Fuel Unloading Flow Meter
Repeatability:	±0.02%
Lcd Screen:	ENGLISH INTERFACE, 7 DIGITS DISPLAY
Medium:	GASOLINE, DIESEL, KEROSENE, ETHANOL GASOLINE AND OTHER OIL PRODUCTS
• Highlight:	DN80 Fuel Unloading Flow Meter, Fuel Unloading Flow Meter IP65, IP65 Diesel Fuel Flow Meter



DN80 Precision Excavator Fuel Unloading Flow Meter with IP65 Protection

#### **Product Description:**

With an accuracy of ±0.2% and repeatability of ±0.02%, this fuel discharge flow meter offers precise readings every time. Its wide range of rates, from 8-80M<sup>3</sup> / H (130-1300L / Min), makes it suitable for a variety of applications, making it a versatile addition to your toolkit. The Fuel Discharge Flow Meter is easy to install and use, with a user-friendly interface that allows for quick and effortless operation. Its compact size and lightweight design make it easy to transport, allowing you to take it with you wherever you need to go. Whether you're working in the oil and gas industry, agriculture, or any other industry that requires accurate fuel measurement, the Fuel Discharge Flow Meter is the perfect solution for you. Don't settle for anything less than the best - choose the Fuel Discharge Flow Meter for all your fuel measurement needs!

#### **Features:**

Product Name: Flow Meter Accuracy: ±0.2% Certifications: ATEX, IECEx, FM Color: Silver Ambient Temperature: -30 ~60

Keyword: Fuel Unloading Flow Meter

This Flow Meter is perfect for measuring the flow of fuel during unloading or discharge. It is highly accurate with a margin of error of only  $\pm 0.2\%$ . It has been certified by ATEX, IECEx, and FM, ensuring its safety in potentially hazardous environments. The silver color gives it a sleek appearance and its operating temperature range of -30 ~60 makes it suitable for use in a variety of environments.

#### **Technical Parameters:**

Product Name	Gravity Fuel Unloading Flow Meter
Rate	8-80M <sup>3</sup> / H (130-1300L / Min)
Ambient Temperature	-30 ~60
Color	Silver
Size	DN80
Protection Rating	IP65
Certifications	ATEX, IECEx, FM
Medium	GASOLINE, DIESEL, KEROSENE, ETHANOL GASOLINE AND OTHER OIL PRODUCTS
Accuracy	±0.2%
Repeatability	±0.02%
Lcd Screen	ENGLISH INTERFACE, 7 DIGITS DISPLAY

#### **Applications:**

With a minimum order quantity of 10 pcs, the Virette T-80 Flow Meter is priced at 1680USD, making it an affordable option for businesses of all sizes. The delivery time for this product is 20 days, ensuring that customers receive their orders in a timely manner. One of the key features of this flow meter is its accuracy, with a margin of error of only ±0.2%. This makes it an ideal choice for applications where precise measurements are required. The size of the flow meter is DN80, which is suitable for a range of different flow rates.

The Virette T-80 Flow Meter can be used in a variety of settings, from fuel unloading at gas stations to industrial fuel management systems. It is particularly useful for Gravity Fuel Unloading Flow Meter applications, where the flow of fuel needs to be measured accurately.

The ambient temperature range for this flow meter is -30 ~60, which means it can be used in a range of different environments. The silver color gives it a modern and sleek look, making it a great addition to any industrial setting.

In summary, the Virette T-80 Flow Meter is a versatile and reliable instrument that is suitable for a range of different applications. Whether you need a Fuel Discharge Flow Meter, a Fuel Unloading Flow Meter, or a Gravity Fuel Unloading Flow Meter, this product is sure to meet your needs.

#### **Packing and Shipping:**

Product Packaging: Flow Meter device User manual Calibration certificate

